

## 3D PRINTING AND DESIGN REFERENCE DOCUMENT

|                        |                |
|------------------------|----------------|
| <b>Document Title:</b> | Document Title |
| <b>Document No.:</b>   | 1756372333     |
| <b>Author(s):</b>      | jattie         |
| <b>Contributor(s):</b> |                |

### REVISION HISTORY

| Revision | Details of Modification(s) | Reason for modification   | Date             | By     |
|----------|----------------------------|---------------------------|------------------|--------|
| 0        | Draft release              | Document description here | 2025/08/28 09:12 | jattie |

# Sandial Sandtable Design

## Gear Spacing Calculations

let's crunch the numbers again—this time with a 1.2 mm pitch and gears of 15 teeth and 60 teeth.

### ⚙️ Step-by-step Calculation

- Pitch Diameter of Gear 1 = 15 teeth × 1.2 mm = 18 mm
- Pitch Diameter of Gear 2 = 60 teeth × 1.2 mm = 72 mm

Now for the center distance:

$$\text{Center Distance} = \frac{1}{2} \times (18 + 72) = \frac{1}{2} \times 90 = 45\text{mm}$$

□ Final Answer: Center spacing = 45 mm

From:

<http://www.3dfaq.net/> - 3D Printing Wiki

Permanent link:

[http://www.3dfaq.net/04\\_projects/04\\_sandtable\\_radial\\_version?rev=1756372532](http://www.3dfaq.net/04_projects/04_sandtable_radial_version?rev=1756372532)

Last update: **2025/08/28 09:15**

