3D PRINTING AND DESIGN REFERENCE DOCUMENT			
Document Title:	Document Title		
Document No.:	1764695602		
Author(s):	jattie		
Contributor(s):			

REVISION HISTORY


Revision	Details of Modification(s)	Reason for modification	Date	Ву
0	Draft release	Document description here	2025/12/02 17:13	jattie

Voron 2.4 Build

This section facilitates research of information for a building a Voron 2.4.1)

Building the frame

The Voron publications default model is for a 246mm build plate and surprisingly not publishing scaled models and the 3D model is not parametric or scaling either.



In order to Facilitate a 350mm build this needs to be scaled. This is not a problem when buying kits, however building from raw materials needs to dimensional details.

- 4 × 530 mm (drilled) → The vertical uprights. They set the printer's height and must be drilled for blind joints.
- 10 × 470 mm (tapped) → The horizontal frame members (top and bottom squares, plus gantry supports). These are tapped to accept fasteners.


9 x 300mm

4

Building The Gantry

Lineaer Rails

http://www.3dfaq.net/ Printed on 2025/12/24 15:53



- 2 × 450 mm → The gantry extrusions that carry the XY motion system.
- $1 \times 430 \text{ mm} \rightarrow \text{The rear crossmember that supports the Z drives and belts.}$
- ullet 1 imes 340 mm ullet The front crossmember that supports the front idlers and closes the frame

530	4		2,120		
470	10		4,700		
SUBTOTAL		6,820			
450	2		900		
430	1		430		
340	1		340		
SUBTOTAL		1,670			
TOTAL		8,490			
Material		Unit Price		Total	
Flowmax 20 x 20 Profile x 3m 34.42		34.42		3	€103.24

West3D Voron V2.4 Self-Source Configurator

Build Size: 350mm	€131.13
Frame: Space Grey (W/ Angle Brackets)	€13.11
Printed Parts: No Printed Parts	

Fasteners: BDF Stainless Steel	
Motion: POWGE Motion Silver	€43.71
Rails: Berserker Rails - Medium Preload	€43.71
Ready to Roll Add-on: No - I'll do that myself	
XY Endstop: XY PCB	
Z Endstop: Z PCB	
Probe: CNC Tap Kit	€30.60
SSR:	Panasonic AQA211VL 15A SSR
Motors: LDO V2.4 Motor Kit	€26.23
Controller Board: Manta M8P (With CB2)	€52.45
Display: BTT PiTFT 5" Touch Display	€43.71
Stepper Drivers: TMC2226	€8.74
Power Supply:	LRS-200-24 (24v)
Extruder Components: Galileo 2 (G2E)	€26.23
Wiring Harness: V2.4 / Trident Wiring Harness	
Cable Chains: Standard Cable Chains	
Bed Heater: West3D Performance Edge to Edge	€13.11
Aluminium Build Plate: Voron 2.4 MIC6 Build Plate	
Flex Plate: Energetic Doubled Sided Smooth/Texture (350)	€13.11
Build Plate Magnet: Standard	
Toolhead: Stealthburner	
Toolhead PCB: Nitehawk Stealthburner	€24.48
Hot End: Rapido PT1000 HF	€8.74
Power Inlet / Rocker Switch: Tyco Filtered Inlet + ZF Rocker	
Fans: Premium Option (Delta Blower)	€8.74
Side + Door Panels (Acrylic or ACM): Smoked	€4.37
Back/Deck/Bottom Panels (ABS): Black	
Titanium Backers w/ Ti Screws: Standard	
Printed High-Temp HTN Nylon Ducts: Not Needed	
Kinematics Kit: Yes - Titanium	€52.45

https://www.vorondesign.com/

From:

http://www.3dfaq.net/ - 3D Printing Wiki

Permanent link:

http://www.3dfaq.net/04_projects/06_voron_24

Last update: 2025/12/16 16:29

